



GEDORE workshop furniture...



Best-possible quality for the highest demands placed

- Use of the most up-to-date machinery and environmentally-friendly production processes
- The basis is tightly-controlled and choice sheet steel
- Experienced and reliable specialists vouch for precision-like processing
- Stringent quality checks after each production step ensure a constantly high level
- Best-possible industrial quality for those extreme levels of constant use and conditions subjected to
- Professional service up to the development of special customised tools


Intelligently designed - dependable under extreme use

- Vertical and horizontal forces are calculated with precision
- Unloaded weight optimisation from a finely-tuned material input
- Robust, stable 0.88 mm thick sheet steel structure, supporting elements of a 1.00 mm metal thickness, a 2.00 mm metal thickness for the heavy-duty chassis
- Precision spot welding ensures components stay permanently fixed
- Tool trolleys have it all with their special GEDORE chassis and GEDORE heavy-duty wheels
- Durable and highly resilient with stability of the highest-order




Smooth running and high-performance wheels


16



The GEDORE chassis
(Not applicable to no. 1505)

16







Form and function perfection

- Whether mobile or stationary: indispensable aids, in fact, for the rough-and-ready of workshop routine
- Extremely robust, scratch and impact-resistant, corrosion-proof and easy to care for
- Durable and highly resilient with stability of the highest-order
- Numerous models to reflect use and individual requirements
- Varied, optional accessories available for flexibly extending all the basic models
- Specific colours (RAL) and outfits on request



Tidy look, uncluttered and always at hand

- Ready to be used straight after delivery: simply unpack and screw on the manoeuvring handle
- Whether a mobile or stationary guardian of tidiness: each tool has its own place here
- Modular arrangement systems make daily routine that much easier (visual check/tool missing)
- Compact tool assortments make selection easier
- Customised equipment/tool sets in module systems and/or trolleys/benches in company design/colours






The GEDORE trolley


1 The GEDORE chassis

(Not applicable to no. 1505)


- The axle is mounted on triple bearings and is securely connected to the trapezoid.
- The third, central bearing prevents the axle bending under load.
- The special axle design ensures that the GEDORE high-performance rollers **always** roll on the full faces of their treads.
- Even under full load, the rollers retain their smooth running properties and cannot shed their tyres.
- Vertical and horizontal forces are absorbed by the positive-fit trapezoidal design.
- The forces acting on the roller base are uniformly distributed and do not result in any damage to the mobile tool chest or workbench.
- The absence of protruding bolts and nuts reduces the risk of injury to a minimum.




The trapezoidal GEDORE chassis uniformly distributes the applied forces.



GEDORE




Conventional roller system




2 Smooth running and high-performance wheels

Smooth running wheel



High-performance wheel



GEDORE

The GEDORE smooth running and high-performance wheels keep, even under maximum load, the following features: Smooth running, track-keeping and manoeuvrability!

in unloaded state



with maximum loading




On conventional industrial wheels, there is a visible and perceptible change in handling under maximum loading. The high rolling resistance makes it almost impossible to move the mobile equipment when fully loaded. There is an increased risk of the tyre parting from the wheel, which could lead to an accident!

in unloaded state



with maximum loading





+ Load capacity

- The load capacity of the drawers is 40 kg
- Models 2004*, 2005, 1502, 1504*, 1504 XL, 1506 XL: The bottom drawer is designed as heavy-duty drawer, load capacity 60 kg
- * apart from 2004 1000, 1504 1000

+ Individual drawer locking

- In addition to the central locking, each drawer has its own separate latch to prevent unwanted opening, when being moved
- The latch is automatically released by a tilting bar when the drawer is opened
- The single latch automatically engages when the drawer closes


+ Central locking

- One central lock for all drawers and doors
- Safe and easy handling

+ Square perforation 10 x 38 mm

- The square perforation in the side walls enable quick access to frequently used tools
- GEDORE holders and trays are simply clipped in

- Look for this symbol:
- When marked with "E" the drawers are delivered with individual drawer blocking



+ Ball-bearing drawer slides


- The ball-bearing drawer slides ensure safe and easy sliding of the drawers, even when loaded to full capacity
- Full extension improves access

+ Powder coating


- GEDORIT blue and GEDORIT silver are the short names for the two types of powder paint, specially developed for GEDORE
- This coating method guarantees a high level of corrosion protection, combined with tough scratch resistance
- Powder coating is kind on the environment. Unused powder is reclaimed in the plant. No solvent is used
- Special colours available on request



GEDORIT blue



GEDORIT silver



+ Impact protection

- The vertical impact protection protects the tool trolley and anything it comes into contact with from damage
- It also protects other equipment in the workshop or vehicles from inadvertent contact

+ Heel protection













- All-round heel protection by rounded edges on the underside allows the tool trolley or workbench to be safely pulled or pushed

+ Total brake

- Prevents unwanted movement and turning of the wheel
- Ensures safe parking of the tool trolley or workbench



Selection aid – tool trolleys

Type/Pattern	Body						Chassis					Drawers							
	Height (mm)	Load capacity (kg)	Central locking system	ABS work- ing plat- form with compart- ments / protective edge	Impact protection	for car boot transporta- tion	Wide-track chassis (B) / heavy- duty (S)	GEDORE heavy- duty wheels	2x fixed castors (mm)	Total brake	2x swivel castors (mm)	Number	extendable to both sides	Max. load capacity per drawer (kg)	Single safeguard	Individual blocking	fully extendable	Drawer volume Compatibility - modules	
	985						S		200	2	125	6 - 10		40/60					
	985	500					S		200	2	125	5 - 10		40/60					
	920	400					B		200	1	125	7		40					
	965	330							140	1	100	7		40					
	965	250							140	1	100	4 plus storage compartment		40					
	1060	300							140	1	100	6		40					
	900	120/220							140	1	100	3 plus storage compartment		20					
	930	300					B		140	1	100	5 plus storage compartment		20					
	960	300					B		140	1	100	8		40					
	930	300							140	1	100	4 plus storage compartment		20					
	930	200							140	1	100	6		20					
	985	500					S		200	2	125	7		40/60					
	985	500					S		200	2	125	7		40/60					



Type/Pattern		Body						Storage space			Drawers				
Height (mm)		with chassis - mobile	Mobile load capacity (kg)	Static load capacity (kg)	Central locking system	Wooden worktop (mm)	Heel protection edge	Wide-track chassis (B) / heavy-duty (S)	Storage compartment with door / open	including rear panel	Number	Max. load capacity per drawer (kg)	Single safe-guard	fully extendable	Drawer volume Compatibility - modules
mobile															
1505		900	500	2000		40		S			5	40			
1504		985	500	700		30		S			6 - 10	40/60			
1504 XL		985	500	700		30		S			7 (6+1XL)	40/60			
BR 1504		985	500	700		30		S			7	40/60			
1502		870	500	700		25			open		6	40			
1506 XL		985	500	700		30		S			12 - 20	40/60			2 x
B 1525		810		500		30									
stationary															
BR 1500 LH		900		2000		40					5	40			
B 1500 L		900		2000		40					5	40			



ES modules
CT modules

98 – 113





TOOL TROLLEYS

2005

TOOL TROLLEY

Body:

- Dimensions: H 985 x W 775 x D 475 mm
- Working platform in ABS, with 3 compartments for small parts
- With handle for easy pushing, pulling and turning
- Side walls with square perforation 10 x 38 mm to fix hooks and tools
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- Wide drawers (W 640 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:

- Total load capacity 500 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel


Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- Optionally extendable with GEDORE tool chests, rear panels and tool holders
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



- LD = Lengthwise dividers
- CD = Crosswise dividers

2005 0511



	H	W	D	LD	CD		Code	No.
7 drawers:	985	775	475	10x	2x	93.0	1803018	2005 0511
5x type 1, H = 67 mm								
1x type 2, H = 137 mm								
1x type 3, H = 207 mm								
6 drawers:	985	775	475	6x	2x	89.0	2003546	2005 0321
3x type 1, H = 67 mm								
2x type 2, H = 137 mm								
1x type 3, H = 207 mm								
8 drawers:	985	775	475	10x	2x	92.0	2003554	2005 0701
7x type 1, H = 67 mm								
1x type 3, H = 207 mm								
9 drawers:	985	775	475	15x	3x	99.0	2003562	2005 0810
8x type 1, H = 67 mm								
1x type 2, H = 137 mm								


2005 0511 E
TOOL TROLLEY WITH INDIVIDUAL DRAWER BLOCKING
Body:

- Dimensions: H 985 x W 775 x D 475 mm
- Working platform in ABS, with 3 compartments for small parts
- With handle for easy pushing, pulling and turning
- Side walls with square perforation 10 x 38 mm to fix hooks and tools
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Individual blocking**, only one drawer can be open at a time. Prevents the simultaneous opening of several drawers.
- Central locking with cylinder lock
- Wide drawers (W 640 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:

- Total load capacity 500 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), both with total brake
- The GEDORE axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- Optionally extendable with GEDORE tool chests, rear panels and tool holders
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



	H	W	D	LD	CD		Code	No.
7 drawers:	985	775	475	10x	2x	93.0	2827379	2005 0511 E
5x type 1, H = 67 mm								
1x type 2, H = 137 mm								
1x type 3, H = 207 mm								

2004 HP-14
31

2430
31

RB 2004 L
32

1500 ES / 1500 CT
98 – 113



2004
TOOL TROLLEY
Body:

- Dimensions: H 985 x W 775 x D 475 mm
- Working platform in ABS, with 3 compartments for small parts
- Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- With handle for easy pushing, pulling and turning
- Front side with square perforation 10 x 38 mm to fix hooks and tools
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- Wide drawers (W 480 x D 400 mm) fully extendable, removable
- Each drawer and storage compartment with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (apart from 2004 1000)
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:

- Total load capacity 500 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), both with total brake
- The GEDORE axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:



- Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Optionally extendable with GEDORE tool chests, rear panels and tool holders
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



2004 0511



	H	W	D	LD	CD		Code	No.
10 drawers:	985	775	475	15x	3x	94.0	1640690	2004 1000
10x type 1, H = 67 mm								
9 drawers:	985	775	475	15x	3x	91.0	1640704	2004 0810
8x type 1, H = 67 mm								
1x type 2, H = 137 mm								
8 drawers:	985	775	475	10x	2x	86.0	1640712	2004 0701
7x type 1, H = 67 mm								
1x type 3, H = 207 mm								
8 drawers:	985	775	475	10x	2x	88.0	1640720	2004 0620
6x type 1, H = 67 mm								
2x type 2, H = 137 mm								
7 drawers:	985	775	475	10x	2x	84.0	1640739	2004 0511
5x type 1, H = 67 mm								
1x type 2, H = 137 mm								
1x type 3, H = 207 mm								
6 drawers:	985	775	475	6x	2x	82.0	1640755	2004 0321
3x type 1, H = 67 mm								
2x type 2, H = 137 mm								
1x type 3, H = 207 mm								
5 drawers:	985	775	475	3x	2x	75.0	1640763	2004 0131
1x type 1, H = 67 mm								
3x type 2, H = 137 mm								
1x type 3, H = 207 mm								


2004 0511 E
TOOL TROLLEY WITH INDIVIDUAL DRAWER BLOCKING
Body:

- Dimensions: H 985 x W 775 x D 475 mm
- Working platform in ABS, with 3 compartments for small parts
- Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- With handle for easy pushing, pulling and turning
- Front side with square perforation 10 x 38 mm to fix hooks and tools
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Individual blocking**, only one drawer can be open at a time. Prevents the simultaneous opening of several drawers.
- Central locking with cylinder lock
- Wide drawers (W 480 x D 400 mm) fully extendable, removable
- Each drawer and storage compartment with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:





- Total load capacity 500 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), both with total brake
- The GEDORE axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel




Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Optionally extendable with GEDORE tool chests, rear panels and tool holders
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



	H	W	D	LD	CD		Code	No.
7 drawers:	985	775	475	10x	2x	84.0	2827360	2004 0511 E
5x type 1, H = 67 mm								
1x type 2, H = 137 mm								
1x type 3, H = 207 mm								

1500 BL
43

R 2004 L
32

RT 2004 L
32

**SL 2013 / SL 3014 /
SL 1912 / SL 1916**
182 · 196 · 218




3000

TOOL TROLLEY TANTO with 7 drawers

Body:

- Dimensions: H 920 x W 585 x D 485 mm
- Working platform in ABS, with 4 compartments for small parts
- Storage compartment with perforated sheet (square perforation 10 x 38 mm) on the rear side
- With handle for easy pushing, pulling and turning
- Can be turned on the spot, easily maneuverable, especially in narrow corridors
- With heel protection and safety shock absorber
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 6 wide drawers (W 480 x D 351 x H 79 mm) fully extendable, removeable
- 1 large capacity drawer (W 480 x D 351 x H 205 mm) fully extendable, removeable, for bulky parts
- Each drawer and storage compartment with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually, not for the large capacity drawer)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Wide-track chassis:



- Total load capacity 400 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 2 anti-slip mats resistant to chemicals
- 8 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories



H	W	D	LD	CD	kg	Code	No.
920	585	485	8x	2x	67.0	6624880	3000

➔ 1500 ES / 1500 CT 98 – 113



➔ S 1022 NFZ 93



➔ 3000 H 14 32




2525-520
TOOL TROLLEY with 7 drawers
Body:

- Dimensions: H 965 x W 720 x D 395 mm
- Working platform in ABS, with 3 compartments for small parts
- Storage compartment with perforated sheet (square perforation 10 x 38 mm) on the handle side
- With handle for easy pushing, pulling and turning
- 1 side wall with square perforation 10 x 38 mm to fix hooks and tools
- All-round heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 5 wide drawers (W 480 x D 325 x H 75 mm) fully extendable
- 2 large capacity drawers (W 480 x D 325 x H 120 mm) fully extendable, for bulky parts
- Individual drawer locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually, not for the large capacity drawers)

- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:

- Total load capacity 330 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 10-piece hook assortment
- 8 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Optionally extendable with wooden plate No. 2525 HP
- Special colours and designs available on request
- Delivery without tools and accessories

H	W	D	LD	CD		Code	No.
965	720	395	8x	2x	67.0	1587102	2525-520


2535
TOOL TROLLEY DUO with 4 drawers
Body:

- Overall dimensions: H 965 x W 625 x D 395 mm
- Dimensions upper part: H 350 x W 625 x D 395 mm
- Dimensions lower part: H 635 x W 625 x D 395 mm
- Top and bottom of mobile tool chest joined by quick-action latches for easy separation each with two carry handles
- Each has a working platform in ABS, with 3 compartments for small parts
- Lower part with all-round heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Separate locking for top and bottom of mobile tool chest with two identical cylinder locks
- Upper part with 3 wide drawers (W 480 x D 325 x H 79 mm) fully extendable, removable
- Lower part with 1 wide drawer (W 480 x D 325 x H 79 mm) fully extendable, removable, and a large storage compartment
- Individual drawer locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually, not for the deep storage)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis

- Total load capacity 250 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories

H	W	D	LD	CD		Code	No.
965	625	395	4x	2x	50.0	1892495	2535
350	625	395	3x	2x	27.0	1906445	2535 SMA
635	625	395	1x	-	23.0	1904167	2535 SMW





1585

3-CHEST TOOL TROLLEY MODULAR SYSTEM

Body:

- Overall dimensions: H 1060 x W 660 x D 400 mm
- When tool chests 1430 and 1431 are stacked on it, the base 1432 becomes the mobile high-capacity trolley 1585
- The base 1432 can of course also be combined with various tool chests
- Each has a working platform in ABS
- With plug-in lockable push handle, also suitable for lifting the trolley
- Base with square perforation 10 x 38 mm to fix hooks and tools
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- Tool chest 1430 with 3 wide drawers (W 480 x D 325 x H 79 mm) fully extendable
- Tool chest 1431 with 2 wide drawers (W 480 x D 325 x H 79/160 mm) fully extendable
- 1 large capacity drawer (W 480 x D 351 x H 205 mm) fully extendable, removeable, for bulky parts
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis

- Total load capacity 300 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel (can be ordered individually)

Options:


- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories




1432 + 1431



1432



1585
(1430 + 1431 + 1432)



Description	H	W	D	LD	CD	kg	Code	No.
3-Chest tool trolley without tools	1060	660	400	8x	4x	77.0	6624290	1585
Tool chest with 3 drawers	305	625	400	6x	2x	26.0	6618130	1430
Tool chest with 2 drawers	305	625	400	2x	2x	23.0	6615030	1431
Tool chest with mobile base	1060	660	400	-	-	28.0	6615620	1432
Hook assortment 20 pcs						0.7	5801550	1585 HS

➔ 1500 ES / 1500 CT 98 – 113

➔ 1500 H 13 43



**3010****TOOL TROLLEY VARIO with lowering mechanism****Body:**

- Dimensions: H 610/900 x W 625 x D 400 mm
- With lowering mechanism, can be raised at the push of a button by 2 gas springs
- Lifts automatically with up to 25 kg load
- Automatic lock, to produce a sturdy working surface with over 120 kg load capacity
- Working platform with ABS top
- All-round heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock when lowered
- 3 wide drawers (W 478 x D 325 x H 45 mm), open either side
- 1 large capacity drawer (W 480 x D 343 x H 160 mm) fully extendable, for bulky parts
- Ball-bearing guide rails, with middle and end catches
- Can be individually equipped with length and crosswise dividers (can be ordered individually, not for the large capacity drawer)
- Load capacity per drawer 20 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis



- When lowered, total load capacity over 220 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 6 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories

**MAX****MIN**

H	W	D	LD	CD		Code	No.
900	625	400	6x	2x	42.0	6625260	3010


2000
TOOL TROLLEY with 5 drawers
Body:

- Dimensions: H 930 x W 625 x D 400/545 mm
- Trapezoid shape for extra stability, wheels mounted internally
- Double sided metal shutters to secure the whole internal space
- Working platform with ABS top
- With handle for easy pushing, pulling and turning
- Side walls with square perforation 10 x 38 mm to fix hooks and tools
- All-round heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 5 wide drawers (W 480 x D 325 x H 45 mm), all drawers open either side
- 1 deep storage at base
- On ball-catch bearings, with middle and end catches
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 20 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis




- Total load capacity 300 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Optionally extendable with GEDORE tool chest 1430, 1431
- Special colours and designs available on request
- Delivery without tools and accessories



H	W	D ₁	D ₂	LD	CD		Code	No.
930	625	400	545	10x	2x		6627710	2000

2500
TOOL TROLLEY with 8 drawers
Body:

- Dimensions: H 960 x W 625 x D 400/545 mm
- Trapezoid shape for extra stability, wheels mounted internally
- Working platform with ABS top
- With handle for easy pushing, pulling and turning
- Side walls with square perforation 10 x 38 mm to fix hooks and tools
- All-round heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 7 wide drawers (W 480 x D 330 x H 79 mm) fully extendable, removable
- 1 wide drawer (W 480 x D 330 x H 152 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- On ball-catch bearings
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis




- Total load capacity 300 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Optionally extendable with GEDORE tool chest 1430, 1431
- Special colours and designs available on request
- Delivery without tools and accessories



H	W	D ₁	D ₂	LD	CD		Code	No.
960	625	400	545	10x	2x		6171720	2500

**1580****TOOL TROLLEY with 4 drawers****Body:**

- Dimensions: H 930 x W 625 x D 400 mm
- Double sided metal shutters to secure the whole internal space
- Working platform with ABS top
- With handle for easy pushing, pulling and turning
- Side walls with square perforation 10 x 38 mm to fix hooks and tools
- All-round heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 4 wide drawers (W 480 x D 325 x H 45 mm), all drawers open either side
- 1 deep storage at base
- Ball-bearing guide rails, with middle and end catches
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 20 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis



- Total load capacity 300 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 8 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Optionally extendable with GEDORE tool chest 1430, 1431, additional drawer KSF 1580
- Special colours and designs available on request
- Delivery without tools and accessories




H	W	D	LD	CD		Code	No.
930	625	400	8x	2x	40.0	6627550	1580

KSF 1580


32

**1430 1431**

30

**... CUSTOMISED FOR YOU!****Individual – precise – customised – flexible – right on!**

- From non-standard sizes, special surface treatment (colour and/or finish), customised tool modules through to special electronic product programming and establishing/ implementing individual maintenance intervals (calibration/services) – and a lot more besides.
- WE** develop special tools, customised tools and/or quality forgings **for YOU**.
- Your problems are our assignments.
- Simply contact us!




1578
TOOL TROLLEY with 6 drawers
Body:

- Dimensions: H 930 x W 605 x D 375 mm
- Working platform in ABS, with 3 compartments for small parts
- With handle for easy pushing, pulling and turning
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 4 wide drawers (W 480 x D 325 x H 75 mm)
- 1 wide drawer (W 480 x D 325 x H 120 mm)
- 1 wide drawer (W 480 x D 325 x H 210 mm)
- All drawers open either side
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 20 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Chassis

- Total load capacity 200 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 6 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories



H	W	D	LD	CD	kg	Code	No.
930	605	375	6x	2x	43.5	9018140	1578

Optional accessories

TOP TOOL CHESTS

1430
TOOL CHEST

- Designed particularly as top box for trolleys 1580, 1585, 2000, 2500, 3010

Body:

- Dimensions: H 305 x W 625 x D 400 mm
- ABS top
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:



- Central locking with cylinder lock
- 3 wide drawers (W 480 x D 325 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

Accessories:

- 6 length- and 2 crosswise dividers in zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories



H	W	D	LD	CD	kg	Code	No.
305	625	400	6x	2x	26.0	6618130	1430

1431
TOOL CHEST

- Designed particularly as top box for trolleys 1580, 1585, 2000, 2500, 3010

Body:

- Dimensions: H 305 x W 625 x D 400 mm
- ABS top
- Heel and impact protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:



- Central locking with cylinder lock
- 2 wide drawers (W 480 x D 325 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

Accessories:

- 6 length- and 2 crosswise dividers in zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories



H	W	D	LD	CD	kg	Code	No.
305	625	400	2x	2x	23.0	6615030	1431